



TÜV SÜD Product Service Ltd, Octagon House,
 Concorde Way, Segensworth North, Fareham,
 Hampshire, United Kingdom, PO15 5RL
 Tel: +44 (0) 1489 558100
 Website: www.tuvps.co.uk

COMMERCIAL-IN-CONFIDENCE

TEST HOUSE CERTIFICATE

CLIENT Daniamant Limited
 Unit 3, The Admiral Park
 Airport Service Road
 Portsmouth
 Hampshire
 PO3 5RQ

DOCUMENT 75922374 THC 05 Issue 2
CLIENT'S ORDER NUMBER PC0001217

INCOMING RELEASE NOTE

Not formally released

DATE OF RECEIPT

11 April 2013

TEST ITEM(S)

Lithium Battery
 The batteries supplied for test incorporated the following:
 1. Each cell and battery incorporates a safety venting device.
 2. Each cell and battery is equipped with an effective means of preventing external short circuits and reverse current flow.

NUMBER OF ITEMS TESTED

Eight, four in a charged state and four in a discharged state

MODEL/PART NUMBER(S), SERIAL NUMBER(S)

Product	Lithium Cell Type	Cell Type
Rescue Master 2B/3B	Li-SO2	Saft G26

TEST SPECIFICATION/ISSUE/DATE

UN ST/SG/AC.10/11/Rev.5/Amend.1 Criteria III Section 38.3 dated 2011

DATE OF TEST

12 April to 13 May 2013

TEST(S) DESCRIPTION AND RESULT(S) OF TEST

The following tests were required by the Test Specification: T1 to T5. The EUT met the requirements of the Test Specification as follows:

Spec Clause	Test Description	Result
T1	Altitude Simulation	Pass
T2	Thermal Test	Pass
T3	Vibration	Pass
T4	Shock	Pass
T5	External Short Circuit	Pass

Approved by 

R M Thompson
 Authorised Signatory

Date 10 June 2013
