

CERTIFIED COPY CERTIFICATE OF TYPE APPROVAL

This is to certify that

The product detailed below will be accepted for compliance with the applicable Lloyd's Register Rules and Regulations and with the International Convention for the Safety of Life at Sea, (SOLAS), 1974, as amended, for use on ships and offshore installations classed with Lloyd's Register, and for use on ships and offshore installations when authorised by contracting governments to issue the relevant certificates, licences, permits etc.

Manufacturer

Daniamant Limited

Address

Unit 3, Admiral Park Airport Service Road

Portsmouth

Hampshire, PO3 5RQ United Kingdom (UK)

Product Type

LIFEBUOY LIGHTS

Product Description

Self-igniting position-indicating lifebuoy light for use with bow throw-

over and quick release lifebuoys - Type: "Daniamant L41B"

Specified Standards

IMO Resolution MSC.81 (70), Part 1 amended by Resolution MSC.226 (82)

ISO 24408 (2005)

The attached Design Appraisal Document forms part of this certificate.

This certificate remains valid unless cancelled or revoked, provided the conditions in the attached Design Appraisal Document are complied with and the equipment remains satisfactory in service.

Date of issue

15 April 2010

Expiry date

10 November 2013

Certificate No. SAS S080127/M1

Signed

Sheet No

1 of 3

Name

L. Thomas

Surveyor to Lloyd's Register EMEA A Member of the Lloyd's Register Group

Note:

This certificate is not valid for equipment, the design or manufacture of which has been varied or modified from the specimen tested. The manufacturer should notify Lloyd's Register of any modification or changes to the equipment in order to obtain a valid certificate.

"Lloyd's Register, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register Group'. The Lloyd's Register Group assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register Group entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract."



Lloyd's Register EMEA

71 Fenchurch Street, London, EC3M 4BS
Telephone 020 7423 2143 Fax 020 7423 2053
Email ldss.enquiries@lr.org

Page 2 of 3
Document number SAS S080127/M1
Issue number
1

DESIGN APPRAISAL DOCUMENT

	Quote this reference on all future communications LDSS/TA/SFS/LT
--	--

ATTACHMENT TO CERTIFICATE OF TYPE APPROVAL No. SAS S080127/M1

The undernoted documents have been appraised for compliance with the relevant requirements of International Conventions, and this Design Appraisal Document forms part of the Certificate.

EXAMINED DOCUMENTATION

Plan/Doc No.

Plan Date

Title or Description

TF005 August 2008

Technical File

TEST REPORTS

Report Title or Report Author	Report No.	Date
McMurdo Limited Test Reports:-		
	TM-17-86	07 Aug 1986
<i>j</i>	TM-24-99	28 Jul 1999
Pains-Wessex Limited Test Report	TH01-007	18 Jul 1986

Witnessed by UK Dept. of Transport and/or other Notified Body or Authority acceptable to LR

Notes:

Self-igniting lifebuoy light L41B Aqualite is supplied complete with holder and fitted with terminals for testing both lamp and battery.

Maximum stowage height = 36 metres.

CONDITIONS OF CERTIFICATION

- The battery/light unit must be replaced on or before the expiry date marked on its labels. The date of
 expiry shall not exceed 50% of the service life of the battery as established by the battery manufacturer.
- Detailed fitting, maintenance and in service test instructions are to be provided to each purchaser of the subject lights.
- Each light is to be marked with the information required by the LSA Code Regulation 1.2.2.9 and ISO 24408 Paragraph 4.3.
- The arrangements and installation of the lights on board are not part of this design appraisal or certificate and are to be to the satisfaction of the Surveyors attending on board.
- If the specified standards are amended during the validity of this certificate, this product type is to be re-approved prior to it being supplied to vessels to which the amended standards apply.
- Production items are to be manufactured in accordance with a quality control system which shall be maintained to ensure compliance with SOLAS Regulation III/5.



Lloyd's Register EMEA

71 Fenchurch Street, London, EC3M 4BS Telephone 020 7423 2143 Fax 020 7423 2053 Email ldss.enquiries@lr.org

Page 3 of 3
Document number SAS S080127/M1
Issue number 1

DESIGN APPRAISAL DOCUMENT CERTIFIED COP

Date Quote this reference on all future communications
15 April 2010 LDSS/TA/SFS/LT

ATTACHMENT TO CERTIFICATE OF TYPE APPROVAL No. SAS S080127/M1

- 7. Production items are to be manufactured in accordance with a quality control procedure and records kept as required by MSC.81(70) Part 2, Paragraph 1.2 and ISO 24408:2005 Annexe A-Production testing and inspection procedures. This does not preclude any further testing to additional requirements of the Marine Administration of the country where the ship is registered (i.e. the flag state) or those acting on behalf of that Administration.
- 8. Should a change of Place of Production from that stated below be required i.e. where the stages of manufacture/assembly/testing of this product take place, the new Place of Production is to be advised to us prior to the change taking place. This Certificate will require to be updated for Approval to be maintained.

PLACE OF PRODUCTION

Daniamant Limited Unit 3, The Admiral Park Airport Service Road

Hilsea Portsmouth Hants, PO3 5RQ Daniamant ApS Industrivej 24C 3550 Slangerup Denmark

Supplementary Type Approval Terms and Conditions

This certificate and Design Appraisal Document relates to type approval, it certifies that the prototype(s) of the product(s) referred to herein has have been found to meet the applicable design criteria for the use specified herein, it does not mean or interval approval for any other use, nor approval of any products designed or manufactured otherwise than in strict conformity with the said prototype(s).

Lijo Thomas Surveyor

Statutory Fire & Safety

London Design Support Services

Lloyd's Register EMEA